

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"20020109857".pn.	US-PGPUB; USPAT	OR	ON	2008/02/01 17:38
S2	13	("5550637"   "5825993"   "6084934"   "6091515"   "6094546"   "6233226"   "6268925"   "6542253"   "6594027"   "6636327"   "6701372"   "6742130"   "6977945").PN.	US-PGPUB; USPAT	OR	ON	2007/08/07 11:43
S3	107	(power near (sav\$4 stor \$4) near mode) same ((normal regular) same mode) same printer	US-PGPUB; USPAT	OR	ON	2008/01/29 15:50
S4	59	(power near (sav\$4 stor \$4) near mode) same ((normal regular) near mode) same printer	US-PGPUB; USPAT	OR	ON	2008/01/29 15:52
S5	1	"6389554".pn.	US-PGPUB; USPAT	OR	ON	2008/01/29 15:53
S6	16	ack same nak same printer	US-PGPUB; USPAT	OR	ON	2008/01/30 09:44
S7	131	(configur\$4 control) with (receiv\$4 near5 (speed rate)) with (data information) same (printer mfp fax facsimile)	US-PGPUB; USPAT	OR	ON	2008/01/30 11:19
S8	55	(configur\$4 control) near5 (receiv\$4 near5 (speed rate)) near5 (data information) same (printer mfp fax facsimile)	US-PGPUB; USPAT	OR	ON	2008/01/30 11:43
S9	28	(configur\$4 control) near5 (receiv\$4 near5 speed) near5 (data information) same (printer mfp fax facsimile)	US-PGPUB; USPAT	OR	ON	2008/01/30 11:44

S10	1	("6100995").URPN.	USPAT	OR	ON	2008/01/30 11:47
S11	2153	358/1.16.ccls.	US-PGPUB; USPAT	OR	ON	2008/02/01 17:38
S12	131	(configur\$4 control) with (receiv\$4 near5 (speed rate)) with (data information) same (printer mfp fax facsimile)	US-PGPUB; USPAT	OR	ON	2008/02/01 17:38
S13	7	S12 and S11	US-PGPUB; USPAT	OR	ON	2008/02/01 17:38
S14	7503	(receiv\$4 get\$4 download\$4 transfer\$4 transmit\$4) with (data information) with (transit\$4 chang\$4 shift \$4 phase) same print\$4	US-PGPUB; USPAT	OR	ON	2008/08/07 14:18
S15	3674	(receiv\$4 get\$4 download\$4 transfer\$4 transmit\$4) near5 (data information) near5 (transit\$4 chang\$4 shift \$4 phase) same print\$4	US-PGPUB; USPAT	OR	ON	2008/08/07 14:19
S16	384	(receiv\$4 get\$4 download\$4 transfer\$4 transmit\$4) near (data information) near (transit\$4 chang\$4 shift \$4 phase) with print\$4	US-PGPUB; USPAT	OR	ON	2008/08/07 14:20
S17	10	(receiv\$4 get\$4 download\$4 transfer\$4 transmit\$4) with (data information) with (transit\$4 chang\$4 shift \$4 phase) same print\$4 same (power near (sav \$4 stor\$4) near mode) same ((normal regular) same mode)	US-PGPUB; USPAT	OR	ON	2008/08/07 14:21
S18	2	("5881335"   "6438334").PN.	US-PGPUB; USPAT	OR	ON	2008/08/07 14:24
S19	11	(processor controller cpu ((prcess\$4 controll \$4)) near (unit device)) near5 (off\$1state off \$1mode) same print\$4	US-PGPUB; USPAT	OR	ON	2009/01/31 18:13

S20	17	(processer controller cpu ((prcess\$4 controll \$4)) near (unit device)) same (off\$1state off \$1mode) same (power near sav\$4)	US-PGPUB; USPAT	OR	ON	2009/02/01 10:38
S21	5	(processer controller cpu ((prcess\$4 controll \$4)) near (unit device)) with (off\$1state off \$1mode) with (power near sav\$4)	US-PGPUB; USPAT	OR	ON	2009/02/01 10:38
S22	2	(print\$4 fax\$4 mfp) same (processer controller cpu ((prcess \$4 controll\$4)) near (unit device)) same (off \$1state off\$1mode) same (power near sav \$4)	US-PGPUB; USPAT	OR	ON	2009/02/01 10:44
S23	114	(processer controller cpu ((prcess\$4 controll \$4)) near (unit device)) same (off\$1state off \$1mode (off near mode) off) same (power near sav\$4) same (normal near mode)	US-PGPUB; USPAT	OR	ON	2009/02/01 10:49
S24	37	(processer controller cpu ((prcess\$4 controll \$4)) near (unit device)) same (off\$1state off \$1mode (off near mode) off) same (power near sav\$4) same (normal near mode) and (print\$4 mfp)	US-PGPUB; USPAT	OR	ON	2009/02/01 10:50
S25	11	("5386572"   "5483353"   "5825992"   "5920727"   "5987274"   "6639907"   "6687382"   "6718381"   "6791572").PN. OR ("6925574").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/01 10:52
S26	138	(kazuhiro and sato).in.	US-PGPUB; USPAT	OR	ON	2009/02/01 11:08

S27	63	(kazuhiro near satoh). in.	US-PGPUB; USPAT	OR	ON	2009/02/01 11:08
S28	34	(off\$1state off\$1mode (off near mode) off) same (power near sav \$4) same (normal near mode) same print\$4	US-PGPUB; USPAT	OR	ON	2009/02/01 11:09
S29	4	S26 and S28	US-PGPUB; USPAT	OR	ON	2009/02/01 11:09
S30	0	(processer controller cpu ((process\$4 controll \$4)) near (unit device)) same (off\$1state off \$1mode) same (power near sav\$4) same (normal near mode)	US-PGPUB; USPAT	OR	ON	2009/02/01 11:31
S31	3	(processer controller cpu ((process\$4 controll \$4)) near (unit device)) same (off\$1state off \$1mode) same (power near sav\$4) same normal	US-PGPUB; USPAT	OR	ON	2009/02/01 11:31
S32	373	(processer controller cpu ((process\$4 controll \$4)) near (unit device)) same off same (power near sav\$4) same normal	US-PGPUB; USPAT	OR	ON	2009/02/01 11:32
S33	31	(processer controller cpu ((process\$4 controll \$4)) near (unit device)) same off same (power near sav\$4) same normal same (print\$4 mfp)	US-PGPUB; USPAT	OR	ON	2009/02/01 11:35
S34	33	(processer controller cpu ((process\$4 controll \$4)) near (unit device)) same (off near (state mode)) same (power near sav\$4) same (normal near (state mode))	US-PGPUB; USPAT	OR	ON	2009/02/01 11:46

S35	6	(processor controller cpu ((process\$4 control \$4)) near (unit device)) same (off near (state mode)) same (power near sav\$4) same (normal near (state mode)) and (print\$4 mfp)	US-PGPUB; USPAT	OR	ON	2009/02/01 11:49
S36	12	(print\$4 mfp) same (off near (state mode)) same (power near sav \$4) same (normal near (state mode))	US-PGPUB; USPAT	OR	ON	2009/02/01 11:55
S37	6	(processor cpu (process \$4 near unit)) near3 (off near (state mode)) same (power near sav \$4) same print\$4	US-PGPUB; USPAT	OR	ON	2009/06/30 16:29
S38	1495	(cpu processor (process \$4 near (device unit))) near5 (off inactive sleep) same print\$4	US-PGPUB; USPAT	OR	ON	2009/08/04 10:35
S39	356	(cpu processor (process \$4 near (device unit))) near5 (inactive ((off sleep) near (state mode))) same print\$4	US-PGPUB; USPAT	OR	ON	2009/08/04 10:36
S40	12	(cpu processor (process \$4 near (device unit))) near5 (power near sav \$4) near5 (inactive ((off sleep) near (state mode))) same print\$4	US-PGPUB; USPAT	OR	ON	2009/08/04 10:38
S41	25	(power near sav\$4) with (cpu processor (process\$4 near (device unit))) with (inactive ((off sleep) near (state mode))) same print\$4	US-PGPUB; USPAT	OR	ON	2009/08/04 10:42
S42	49	(cpu processor (process \$4 near (device unit))) near5 (inactive ((off sleep) near (state mode))) same print\$4 same ((receiv\$4 obtain \$4) near (data information))	US-PGPUB; USPAT	OR	ON	2009/08/04 10:48

S43	8	("5751925"   "5844813"   "6509975").PN. OR ("7057754").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/01 10:04
S44	67	(cpu processor (process \$4 near (device unit))) near5 (unavailable inactive ((off sleep near (state mode))) same print\$4 same ((input\$4 retriev\$4 receiv\$4 obtain\$4) near (data imag\$4 information)))	US-PGPUB; USPAT	OR	ON	2009/12/01 10:50
S45	119	(cpu processor (process \$4 near (device unit))) with (unavailable inactive ((off sleep\$4) near (state mode))) same print\$4 same ((input\$4 retriev\$4 receiv\$4 obtain\$4) near (data imag\$4 information)))	US-PGPUB; USPAT	OR	ON	2009/12/01 11:02
S46	61	(cpu processor (process \$4 near (device unit))) with (unavailable inactive ((off sleep\$4) near (state mode))) with print\$4 with ((input \$4 retriev\$4 receiv\$4 obtain\$4) near (data imag\$4 information)))	US-PGPUB; USPAT	OR	ON	2009/12/01 11:02
S47	12	((cpu processor (process \$4 near (device unit))) with (unavailable inactive ((off sleep\$4) near (state mode))) same print\$4 same ((input\$4 retriev\$4 receiv\$4 obtain\$4) near (data imag\$4 information)))) .clm.	US-PGPUB; USPAT	OR	ON	2009/12/01 11:07
S48	17	("5276459"   "5325209"   "5416596"   "5469213"   "5581668"   "5596353"   "5636332"   "5666584"   "5751925").PN. OR ("5933581").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/01 11:13

S49	15	("20030103656"   "20030233274"   "20050149364"   "5557748"   "5841981"   "5900026"   "5905900"   "5933581"   "5937148"   "6081663"   "6268925"   "6408395"   "6459496"   "6493100"   "6594767").PN. OR ("7158245").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/01 11:13
S50	119	(cpu processor (process \$4 near (device unit))) with (unavailable inactive ((off sleep\$4) near (state mode))) same print\$4 same ((input\$4 retriev\$4 receiv\$4 obtain\$4) near (data imag\$4 information))	US-PGPUB; USPAT	OR	ON	2009/12/01 11:53
S51	2507	358/1.14.ccls.	US-PGPUB; USPAT	OR	ON	2009/12/01 12:00
S52	42	((cpu processor (process \$4 near (device unit))) near5 (unavailable inactive ((off sleep\$4) near (state mode))) same print\$4) and S51	US-PGPUB; USPAT	OR	ON	2009/12/01 12:01
S53	253	(cpu processor (process \$4 near (device unit))) near5 (unavailable inactive ((off sleep\$4) near (state mode))) with ((input\$4 retriev\$4 receiv\$4 obtain\$4) near (data imag\$4 information))	US-PGPUB; USPAT	OR	ON	2009/12/01 15:45
S54	114	(cpu processor (process \$4 near (device unit))) near5 (unavailable inactive ((off sleep\$4) near (state mode))) near5 ((input\$4 retriev \$4 receiv\$4 obtain\$4) near (data imag\$4 information))	US-PGPUB; USPAT	OR	ON	2009/12/01 15:45

S55	0	(cpu processor (process \$4 near (device unit))) near5 (unavailable inactive ((off sleep\$4) near (state mode))) near5 ((input\$4 retriev \$4 receiv\$4 obtain\$4) near (data imag\$4 information)) same (power near (sav\$4 stor \$4) near mode) same ((normal regular) same mode)	US-PGPUB; USPAT	OR	ON	2009/12/02 10:52
S56	6	(cpu processor (process \$4 near (device unit))) near5 (unavailable inactive ((off sleep\$4) near (state mode))) near5 ((input\$4 retriev \$4 receiv\$4 obtain\$4) near (data imag\$4 information)) and (power near (sav\$4 stor \$4) near mode) same ((normal regular) same mode)	US-PGPUB; USPAT	OR	ON	2009/12/02 10:57
S57	9	(cpu processor (process \$4 near (device unit))) near5 (unavailable inactive ((off sleep\$4) near (state mode))) near5 ((input\$4 retriev \$4 receiv\$4 obtain\$4) near (data imag\$4 information)) and (power near (sav\$4 stor \$4) near mode) and ((normal regular) same mode)	US-PGPUB; USPAT	OR	ON	2009/12/02 11:37



S58	11	(cpu controller processor ((process\$4 control\$4) near (device unit))) near5 (unavailable inactive ((off sleep\$4) near (state mode))) near5 ((input\$4 retriev\$4 receiv\$4 obtain\$4) near (data imag\$4 information)) and (power near (sav\$4 stor\$4) near mode) and ((normal regular) same mode)	US-PGPUB; USPAT	OR	ON	2009/12/02 14:09
S59	18	(cpu controller processor ((process\$4 control\$4) near (device unit))) near5 (unavailable inactive ((off sleep\$4) near (state mode))) near5 ((input\$4 retriev\$4 receiv\$4 obtain\$4) near (data imag\$4 information)) and (power near (sav\$4 stor\$4) near mode)	US-PGPUB; USPAT	OR	ON	2009/12/02 14:11
S60	195	(cpu controller processor ((process\$4 control\$4) near (device unit))) near5 (unavailable inactive ((off sleep\$4) near (state mode))) near5 ((input\$4 retriev\$4 receiv\$4 obtain\$4) near (data imag\$4 information))	US-PGPUB; USPAT	OR	ON	2009/12/02 14:29
S61	1376	713/324.ccls.	US-PGPUB; USPAT	OR	ON	2009/12/04 11:29
S62	274	((cpu controller processor ((process\$4 control\$4) near (device unit))) near5 (unavailable inactive ((off sleep\$4) near (state mode)))) and S61	US-PGPUB; USPAT	OR	ON	2009/12/04 11:33

S63	214	((cpu processor (process \$4 near (device unit))) near5 (unavailable inactive ((off sleep\$4) near (state mode)))) and S61	US-PGPUB; USPAT	OR	ON	2009/12/04 11:34
S64	220	((cpu controller processor ((process\$4 control\$4) near (device unit))) near3 (unavailable inactive ((off sleep\$4) near (state mode)))) and S61	US-PGPUB; USPAT	OR	ON	2009/12/04 11:35
S65	90	((cpu controller processor ((process\$4 control\$4) near (device unit))) near (unavailable inactive ((off sleep\$4) near (state mode)))) and S61	US-PGPUB; USPAT	OR	ON	2009/12/04 11:35
S66	8	((cpu processor (process \$4 near (device unit))) near5 (unavailable inactive ((off sleep\$4) near (state mode))) with ((input\$4 retriev\$4 receiv\$4 obtain\$4) near (data imag\$4 information))) and S61	US-PGPUB; USPAT	OR	ON	2009/12/04 11:44
S67	39	((cpu processor (process \$4 near (device unit))) near5 (unavailable inactive ((off sleep\$4) near (state mode))) with (controller (control \$4 near (unit device)))) and S61	US-PGPUB; USPAT	OR	ON	2009/12/04 12:26
S68	19	(cpu processor (process \$4 near (device unit))) near5 (unavailable inactive ((off sleep\$4) near (state mode))) near5 ((input\$4 retriev \$4 receiv\$4 obtain\$4) near (data imag\$4 information)) same (controller (control\$4 near (unit device)))	US-PGPUB; USPAT	OR	ON	2009/12/04 13:00

S69	3	("5751925"   "5844813"   "6509975").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/04 13:01
S70	4	("5751925"   "5844813"   "6509975").PN. OR ("7352486").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/04 13:01
S71	20	(cpu processor (process \$4 near (device unit))) near5 (unavailable inactive ((off sleep\$4) near (state mode))) near5 ((input\$4 retriev \$4 receiv\$4 obtain\$4) near (data imag\$4 document job (print\$4 near job) information)) same (controller (control \$4 near (unit device)))	US-PGPUB; USPAT	OR	ON	2010/06/08 10:58
S72	8	("5751925"   "5844813"   "6509975").PN. OR ("7057754").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/06/08 11:00
S73	2	interface with (configur \$4 control) near5 (receiv \$4 near5 speed) near5 (data imag\$4 document (print\$4 near job) information) same (printer mfp fax facsimile)	US-PGPUB; USPAT	OR	ON	2010/06/08 11:47
S74	1	(nic ((communication network\$4) near interface)) with (configur\$4 control) near5 (receiv\$4 near5 speed) near5 (data imag \$4 document (print\$4 near job) information) same (printer mfp fax facsimile)	US-PGPUB; USPAT	OR	ON	2010/06/08 11:48
S76	1	"20020109857".pn.	US-PGPUB; USPAT	OR	ON	2010/06/08 12:06
S77	0	(control\$5 near5 speed) and S76	US-PGPUB; USPAT	OR	ON	2010/06/08 12:06
S78	1	(control\$5 with speed) and S76	US-PGPUB; USPAT	OR	ON	2010/06/08 12:07

S79	115	(cpu processor (process \$4 near (device unit))) near5 (unavailable halt stop\$4 inactive ((halt\$4 stop\$4 inactive off sleep \$4) near (state mode))) near5 ((input\$4 retriev \$4 receiv\$4 obtain\$4 download\$4) near (data imag\$4 document job (print\$4 near job) information)) same (controller (control\$4 near (unit device)))	US-PGPUB; USPAT	OR	ON	2010/06/08 13:32
S80	66	(cpu processor (process \$4 near (device unit))) near5 (unavailable halt stop\$4 inactive ((halt\$4 stop\$4 inactive off sleep \$4) near (state mode))) near5 ((input\$4 retriev \$4 receiv\$4 obtain\$4 download\$4) near (data imag\$4 document job (print\$4 near job) information)) with (controller (control\$4 near (unit device)))	US-PGPUB; USPAT	OR	ON	2010/06/08 13:37
S81	3	("5751925"   "5844813"   "6509975").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/06/08 13:39

**EAST Search History (I nterference)**

&lt; This search history is empty &gt;

**6/ 9/ 2010 3:29:36 PM****C:\ Documents and Settings\ vrudolph\ My Documents\ EAST\ Workspaces\ 09975250. w sp**